



INTERGOVERNMENTAL PANEL ON CLIMATE CHANGE

> TWENTIETH SESSION Paris, 19-21 February 2003

IPCC-XX/INF. 2 (6.II.2003)

ITEM 7.5 ENGLISH ONLY

#### PROPOSALS FOR SPECIAL REPORTS, METHODOLOGY REPORTS AND TECHNICAL PAPERS

Scoping Paper for a Technical Paper on Levels of Greenhouse Gases in the Atmosphere and Dangerous Anthropogenic Interference with the Climate System

(Prepared by IPCC Vice-Chair Yuri Izrael)

| 1        |   |
|----------|---|
| 2        |   |
| 3<br>4   |   |
| 4<br>5   |   |
| 6        |   |
| 7        |   |
| 8        |   |
| 9        |   |
| 10       |   |
| 11       |   |
| 12       | SCOPING PAPER FOR   |
| 13       |   |
| 14       | THE TECHNICAL PAPER   |
| 15       |   |
| 16       |   |
| 17       |   |
| 18<br>19 | LEVELS OF GREENHOUSE GASES IN THE ATMOSPHERE  |
| 19<br>20 | PREVENTING DANGEROUS ANTHROPOGENIC INTERFERENCE   |
| 20       | WITH CLIMATE SYSTEM   |
| 22       |   |
| 23       |   |
| 24       | A draft prepared by Vice-Chairman of the IPCC Yuri Izrael   |
| 25       |   |
| 26       | with scientific advice of and contribution from   |
| 27       | Sven Bråkenhielm (Sweden), Timothy Carter (Finland),  |
| 28       | Hans-Martin Füessel (Germany), Roger Jones (Australia),   |
| 29<br>30 | Haroon Kheshgi (USA), Ernst-Detlef Schulze (Germany),<br>Mohan Munasinghe (Sri Lanka), Richard Odingo (Kenya),  |
| 31       | Serguei Semenov (Russia), Roger Street (Canada), Lynne Thompson (USA),  |
| 32       |   |
| 33       | and with input from governmental experts  |
| 34       | Tatjana Hema (Albania), Ermira Fide (Albania), Mirela Kamberi (Albania),  |
| 35       | Osvaldo Canziani (Argentina), Héctor D. Ginzo (Argentina), Ana Maria Bianchi (Argentina),   |
| 36       | Gennadi Kojoyan (Armenia), Martiros Tsarukyan (Armenia), Philippe Tulkens (Belgium),  |
| 37<br>38 | Javier Gonzales Iwanciw (Bolivia), Carlos M. López Cabrera (Cuba),<br>Rene Ledesma (Dominican Republic), Outi Berghall (Finland), Pirkko Heikinheimo (Finland), |
| 38<br>39 | Juha-Pekka Snäkin (Finland), Carlos Mansilla (Guatemala), Yosuke Igarashi (Japan),  |
| 40       | Shinichi Nagata (Japan), Joshua G. Wairoto (Kenya), S. N. Sok Appadu (Mauritius),   |
| 41       | Valeriu Cazac (Moldova), Alexander I. Bedritsky (Russia), Andrej Kranjc (Slovenia),   |
| 42       | Miguel Ángel Gaertner (Spain), Kansri Boonpragob (Thailand), Marianne Lillieskold (Sweden),   |
| 43       | Murat Turkes (Turkey), Tatyana Ososkova (Uzbekistan), Dao Duc Tuan (Vietnam),   |
| 44       | Nguyen Khac Hieua (Vietnam), Nguyen Tien Nguyen (Vietnam), George B. Kasali (Zambia),   |
| 45<br>46 | Julius P. Daka (Zambia),  |
| 46<br>47 | and various governments.  |
| 47       | and valious governments.  |
| 49       |   |
|          |   |

#### 1 0 Executive Summary

#### 3 1 Background

5 Article 2 of the UN Framework Convention on Climate Change (UN FCCC) states that:

6 "The ultimate objective of this Convention and any related legal instruments that the Conference
7 of the Parties may adopt is to achieve, in accordance with the relevant provisions of the
8 Convention, stabilization of greenhouse gas concentrations in the atmosphere at a level that
9 would prevent dangerous anthropogenic interference with the climate system".

10

2

4

Although an approach to the problem as well as to the mechanisms for stabilization of the 11 carbon dioxide (CO<sub>2</sub>) level in the atmosphere is currently being intensively discussed by the 12 world research community and within the IPCC, an issue of non-hazardous levels of CO<sub>2</sub> and 13 other greenhouse gases is still open. A certain lack of knowledge on this subject has been 14 recently noted by the IPCC XVIII Session (Wembley, UK, 24-29 September, 2001). The IPCC 15 Synthesis Report, adopted by the session, had noted that there is essentially a lack of 16 knowledge on what is a "dangerous anthropogenic interference with the climate system", and 17 that this question requires comprehensive and integrated investigations (see Question 9 of the 18 IPCC Synthesis Report). The IPCC considers this guestion as one of the priorities of its future 19 20 work (see Document IPCC-XVIII/INF. 6 of the IPCC XVIII Session).

21

As a practical step toward answering this question a proposal to prepare an IPCC Technical 22 Paper (TP) preliminary entitled as LEVELS OF GREENHOUSE GASES IN THE 23 ATMOSPHERE PREVENTING DANGEROUS ANTHROPOGENIC INTERFERENCE WITH 24 CLIMATE SYSTEM was submitted to the Session by Vice-Chairman of the IPCC Professor Yu. 25 A. Izrael after consultations with the delegations of Argentina, Kenya, Russian Federation, 26 Senegal, and Ukraine (see Document IPCC-XVIII/INF.8). The IPCC Session has requested a 27 Scoping paper outlining the proposed TP. This document was prepared in accordance with this 28 29 request.

30

The first version of this document was prepared in November 2001. It was distributed among the 31 IPCC Bureau members and selected IPCC experts. Many of them provided valuable comments 32 on and substantive input to the Scoping paper. The Twenty-fourth Session of the IPCC Bureau 33 (Geneva, Switzerland, 17-18 of December, 2001) has considered the document. After 34 discussion, during which many serious comments and suggestions on the document were 35 made, the IPCC Bureau decided to distribute a revised version of the Scoping paper among 36 governments for review. The revised draft was circulated to the governments in early January, 37 38 2002. 39

40 Responses of 28 governments were received in January and February, 2002. Majority of them (25) were largely supportive and did not contain any objections against the idea of the proposed 41 TP. However, their views were very different with regard to some aspects. In particular, the 42 following issues were frequently discussed in the comments: a title of the TP, general approach 43 to the problem (scientific criteria vs. socio-economic ones and/or political procedures), necessity 44 to use existing IPCC reports, possibility to develop needed methodology on the basis of existing 45 46 IPCC publications and terminology. It was also recommended to limit analysis to methodological approaches and abstain from calculations of critical GHG levels in the atmosphere at this stage. 47 Many of these suggestions were adopted and used in revision of the TP. Majority of 48 governmental experts provided detailed general and specific comments and constructive 49 suggestions on improving the text that comprised a valuable input to the Scoping paper. The 50

author of and the contributors to the Scoping paper are highly thankful to all governments for their
 comments and suggestions.

3

20

It may be recalled that the Intergovernmental Panel on Climate Change (IPCC) has been established jointly by the World Meteorological Organization (WMO) and the United Nations Environment Programme (UNEP), in particular, to make periodic **assessments of the science**, the **impacts**, and the socio-economic aspects of climate change, and of adaptation and mitigation options to address climate change, and **to assess, and develop as necessary**, **methodologies**. The proposed TP is aimed at:

- analysing information on hazardous (dangerous) levels of greenhouse gases and/or
   approaches to quantifying them already presented in reports and other documents of the
   IPCC;
- assessing the scientific literature on the subject published after 1999 and, therefore, not
   considered in the IPCC Third Assessment Report (TAR);
- developing methodological approach to constructing critical and tolerable levels of GHG
   content in the atmosphere using existing IPCC concepts and approaches;
- identifying deficiencies of information on the subject including a lack of basic knowledge,
   monitoring data, and model means.
- 21 Thus, the proposed TP does not exceed the IPCC mandate, and meet requirements
- 22 existing in relation to such IPCC documents, see Procedures for the Preparation, Review,
- Acceptance, Adoption, Approval and Publication of the IPCC Reports (available on the website www.ipcc.ch) for the procedures applicable to an IPCC Technical Paper
- 24 <u>www.ipcc.ch</u>) for the procedures applicable to an IPCC Technical Paper.
   25
- The Synthesis Report of the IPCC Third Assessment Report (TAR) states that "Natural, technical, and social sciences can provide essential information and evidence needed for decisions on what constitutes "dangerous anthropogenic interference with the climate system". At the same time, such decisions are value judgements determined through socio-political processes, taking into account considerations such as development, equity, and sustainability, as well as uncertainties and risk".
- Thus, an issue of "levels of greenhouse gases in the atmosphere preventing dangerous anthropogenic interference with the climate system" has scientific and political components. Both are important for ultimate decision whether given level is hazardous (dangerous) or tolerable. The proposed paper concentrates mainly on the **scientific side** of the problem according to mandate of the IPCC.
- 38

32

Namely, the proposed TP will consider **levels** of the greenhouse gases (GHG) in the atmosphere which may be hazardous (dangerous) for the CLIMATE SYSTEM from the **perspective of its climate-forming, biospheric, or socio-economic functions.** Direct effects on social or economic systems as well as political implications will not be analysed and taken into account in this TP, however, criteria based upon them might be also very efficient in future IPCC assessments.

45

An important concept of tolerable **rate of changes** of GHG content in the atmosphere will be partly considered. However, its detailed analysis is beyond the proposed TP because it comprises a separate well defined set of issues. "Genre" of TP, in particular, page limitations do not allow us considering both principal complementary concepts together. However, some bridges between these two concepts will be established.

# The proposed Technical Paper will mainly be based on the analysis of information available from previous reports approved/adopted by the IPCC.

#### 2 Introduction

7 This section presents a brief introduction to the issues which are to be considered in the 8 Technical Paper. The prime objective is to determine the perspective from which the concepts of 9 non-hazardous levels of content of greenhouse gases in the atmosphere and dangerous 10 interference with the climate system will be considered. The basic definitions will be given.

11 12

13 14

15

16 17

18

19 20

22

24

26

30

34

4

5 6

2.1 Greenhouse gases in the atmosphere, anthropogenic rise of their concentrations, and global climate change

2.2 Article 2 of the UN FCCC and the roles of science in support of defining "dangerous" anthropogenic interference with the climate system

2.3 What may constitute a non-hazardous level of GHG: a critical level concept

#### 21 Some working notions and definitions

- 23 An "element" of the Earth system means an object or a process within the Earth system.
- <sup>25</sup> "Climate-forming" means "climate-generating", "causing/defining" climatic patterns.

The climate-forming elements of the geosphere (= lithosphere + hydrosphere + atmosphere) and biosphere<sup>1</sup> and their interactions comprise the **'climate system**''. This understanding of the climate system emanated from the UN FCCC.

Examples of **elements of the climate system** objects - atmosphere, ocean, terrestrial waters, forests, permafrost, mountain glaciers; processes - insolation, precipitation, evaporation, melting of ice, freezing of water, photosynthesis.

A "**state**" of the climate system: internal conditions within the climate system, e. g., concentrations of GHG in the atmosphere, temperature and amount of precipitation, ground-level flux of solar radiation, albedo of the Earth's surface, ice sheets area, a rate of carbon uptake/release by forests. The conditions can be anthropogenically changed, in particular, due to anthropogenic emission of substances to the atmosphere and its consequences.

40

The climate system and its elements have important **climate-forming function** (generates climate patterns), **biospheric function** (maintains biodiversity and biogeochemical cycles) and **socio-economic function** (maintains life supporting systems of humans).

44

46

45 Classification of different states of the climate system

47 **Tolerable state:** internal conditions under which the climate system CAN work in a mode

<sup>&</sup>lt;sup>1</sup> Hereinafter "biosphere" means biota and its interactions with the environment.

allowing its climate-forming, biospheric and socio-economic functions with certain level of confidence. Such state is considered "non-dangerous", "non-hazardous".

- Intolerable state: internal conditions under which the climate system (or its major components<sup>2</sup>) CANNOT work in a mode allowing its climate-forming or biospheric or socioeconomic functions.
- Indeterminate state: the rest ones (exist because of uncertainty, incompleteness and/or
   inaccuracy of information about actual state of the climate system, Earth's system response,
   etc.).
- 11

3

Tolerable states, indeterminate states and intolerable states of the climate system comprise
 "tolerable zone", "indeterminate zone" and "critical zone", respectively.

14

17

20

23

26

36

- 15 **Tolerable limit for a state of the climate system** (TL-Climate): a boundary between the 16 tolerable zone and the indeterminate zone of internal conditions of the climate system.
- 18 **Critical limit for a state of the climate system** (CL-Climate): a boundary between the 19 indeterminate zone and the critical zone of internal conditions of the climate system.
- <u>Corresponding (upper) levels of greenhouse gases (GHG) content in the atmosphere (i.e.</u>
   <u>tolerable and critical ones) referring to TL-Climate and CL-Climate, respectively.</u>
- Tolerable (non-dangerous) Level for GHG content (TL-GHG): a level below which respective conditions of the climate system are within the tolerable zone.
- 27 **Critical Level for GHG content** (CL-GHG): a level beyond which respective conditions of the 28 climate system are within the critical zone.
- **Key elements** of the climate system: elements that predominantly determine working of the climate system in a mode allowing its climate-forming, biospheric and/or socio-economic functions. Such elements can be of different spatial scale (e. g., global, regional, local) and temporal scale (e. g., long-range, medium-range, short-range).
- 35 Scope

## 37 Scientists:

- justify a list of key elements and propose to policy-makers particular confidence levels for
   calculation of the TL-Climate;
- give a scientific basis and develop methodologies for calculating TL-Climate and CL-Climate
   corresponding to proposed elements and confidence levels;
- give scientific basis and develop methodologies for calculating TL-GHG and CL-GHG from TL Climate and CL-Climate.
- 43 Climate and CL-Climate.44

## 45 **Requests to policy-makers:**

- make decisions upon confidence levels proposed by scientists for calculation of the TL Climate;

48 - elaborate the mechanisms that prevent exceeding the tolerable levels of GHG in the

<sup>&</sup>lt;sup>2</sup> This addition will be further implied, but not displayed.

1 atmosphere calculated by scientists using key elements and confidence levels adopted through

2 political procedures;

- make judgements and decisions on preferable location of a state of the climate system WITHIN
 the tolerable zone.

- 6 Usage
- 7

5

In the long run a state of the climate system **MUST** be kept beyond the critical zone. This will prevent a breakdown of the climate system, while exceeding the critical limit will lead to this inevitably due to the laws of Nature with no regard to political or socio-economic considerations.

11

16

21

33

36

(This "MUST" is NOT policy prescriptive, because notions "policy", "economy" as well as "public opinion" are not applicable at all within the critical zone corresponding to breakdown of the climate system or its major components. It is determined by laws of Nature only and, therefore, is completely within the scope of science. - Yuri Izrael)

It is **EXPEDIENT** to keep a state of climate system within the tolerable zone. This is to prevent a risk of imperceptible approaching and crossing the critical limit arising from uncertainty, incompleteness and/or inaccuracy of information about actual state of the climate system, Earth's system response, etc.

Note 1: Criteria for selection of key elements and confidence levels (i. e., risk thresholds in fact) for calculations TL-Climate and CL-Climate should be mainly of scientific nature (e. g., sensitivity, adaptive capacity, vulnerability), but also with respect to TL may have socio-economic and humanitarian components reflecting ideas of equity and sustainable development.

Note 2: Non-hazardous (non-dangerous) level of GHG: a level that does not exceed the tolerable one, i.
e. TL-GHG.

Note 3: Once calculated, CL- and TL-GHG will be further clarified/modified along with a progress in understanding of what are the key elements, their sensitivity and adaptive capacity, as well as on causeeffect relationships and tolerable risks.

Note 4: A concept of critical and tolerable levels are presented above for one greenhouse constituent for simplicity and clarity of working notions and definitions. Its multidimensional version will also be developed.

Note 5: Critical and tolerable levels of GHG can be modulated by other factors of non-climatic nature. In this
 connection, the combined effects, synergism, and weakening also should be investigated.

Note 6: Keeping a state of the climate system within the tolerable zone, might be rather far from the critical limit, can occur costly. A size of indeterminate zone depends on deficiencies of knowledge about the Earth's processes and systems, available model means as well as on quality of environment and climate monitoring systems. The size of indeterminate zone can be reduced through obtaining new scientific information that requires respective additional funding of basic and applied science, and monitoring programmes.

- 45 46
- 47
- 48
- 49

## 2.4 Major issues to be considered in the Technical Paper:

50

• What is the Earth's climate associated with a given long-term level of GHG content in the

#### 1 atmosphere?

2

8

10

14

17

19

22

25

28

- Which elements of various scales (objects and processes in the climate system, their interactions, biosphere or a component of the geosphere, processes within them) are predominantly affected by an increase in GHG content in the atmosphere and associated global climate change with respect to their climate-forming, biospheric or socio-economic functions?
- 9 What is the sensitivity of these elements and their adaptive capacity?
- Which elements are the most vulnerable under increases in GHG content in the atmosphere
   and associated global climate change with respect to their climate-forming, biospheric, or
   socio-economic functions?
- How to determine a level of confidence for defining the tolerable limit for a state of the climate system, i. e., in fact, tolerable risk thresholds?
- What are the critical and tolerable GHG levels in the atmosphere?
- How does the proposed critical level concept relate to the concept of hazardous rate of increase of GHG content in the atmosphere?
- What existing IPCC assessment products are needed for quantifying GHG critical and tolerable levels, and tolerable risk thresholds?
- What additional fundamental studies of this problem and efforts in the field of modelling and monitoring are or will be needed in the near future?
- How might decision making strategies be applied in addition to scientific analysis to decide
   what are the tolerable risk thresholds?
- 31 32

35

39

43

44

45

46

# 33 3 Earth's climate associated with a given long-term level of GHG content in the 34 atmosphere

The main purpose of this section is to briefly **summarise** the major findings of WG I of the IPCC and other IPCC groups regarding cause-response relationships GHG content-climate. Such relationships are needed for estimating critical and tolerable levels of GHG in the atmosphere.

- 40 3.1 Climate-forming factors including description of natural greenhouse effect
   41 and its anthropogenic enhancement
   42 3.2 What are the predominant changes in global climate in response to a given
  - 3.2 What are the predominant changes in global climate in response to a given change of GHG content in the atmosphere?
    - Temperature;
    - Precipitation;
    - Cloudiness;
- 47 Ground-level flux of solar radiation (including photosynthetically
   48 active radiation and hazardous ultraviolet radiation);
- 49 Climatic extremes.

| 1  |  |     |   |  |  |
|--|--|-----|---|--|--|
| 2  |  | 3.3 | Regional aspects  |  |  |
| 3<br>4<br>5  |  | 3.4 | Cause-response relationships describing dependence of change in global climate on a change in GHG content in the atmosphere   |  |  |
| 6<br>7   |  | 3.5 | Uncertainties   |  |  |
| 8<br>9   |  | 3.6 | Conclusion  |  |  |
| 10   |  |     |   |  |  |
| 11<br>12<br>13   | 4  |     | s of an anthropogenic increase in GHG content in the atmosphere and iated climate change on the climate-forming function of the climate system  |  |  |
| 14<br>15<br>16<br>17<br>18<br>19<br>20                         | The elements of the climate system predominantly affected by an increase in GHG content in the atmosphere and associated change in global climate will be analysed in this section from the perspective of climate-forming function of the climate system. Sensitivity and adaptive capacity of these elements will be considered. The most vulnerable ones from the perspective of their climate-forming function will constitute a group of "key elements-1" |     |   |  |  |
| 21<br>22<br>23<br>24<br>25<br>26<br>27<br>28<br>29<br>30<br>31 |  | 4.1 | <ul> <li>The elements predominantly affected by an increase in GHG content in the atmosphere and associated change in global climate <ul> <li>Atmospheric elements;</li> <li>Terrestrial elements (pedosphere, cryosphere, hydrosphere, biosphere);</li> <li>Marine elements (cryosphere, hydrosphere, biosphere);</li> </ul> </li> <li>Interactions between objects and processes within the climate system (including carbon emissions from the permafrost due to warming, carbon distribution over components of geosphere and the biosphere, carbon deposition to the bottom of the ocean);</li> <li>Others.</li> </ul> |  |  |
| 32   |  | 4.2 | Sensitivity of the elements and their adaptive capacity   |  |  |
| 33<br>34<br>35   |  | 4.3 | Modulation of sensitivity and/or adaptive capacity by non-climatic factors  |  |  |
| 36<br>37<br>38   |  | 4.4 | The most vulnerable elements from the perspective of their climate-<br>forming function: candidate key elements-1   |  |  |
| 39<br>40   |  | 4.5 | An approach to construction of TL-Climate and CL-Climate as determined by the properties of key elements-1.   |  |  |
| 41<br>42<br>43<br>44   |  | 4.6 | Conclusion  |  |  |
| 45<br>46<br>47<br>48   | 5  |     | s of an anthropogenic increase in GHG content in the atmosphere and iated climate change on biospheric function of the climate system   |  |  |

Besides their climate-forming function, the majority of elements of the climate system play an important biospheric role. Such elements and the major effects on them of an increase in GHG content in the atmosphere and associated change in global climate will be considered in this section from the perspective of biospheric function of the climate system. Sensitivity and adaptive capacity of these elements will be considered. The most vulnerable ones from the perspective of their biospheric function will constitute a group of "key elements-2".

- 8 5.1 Biodiversity of terrestrial, soil and marine ecosystems (including invasions
   9 of alien species)
  - 5.2 Photosynthetic utilisation of solar energy within terrestrial ecosystems and oceanic surface layer
- 14 5.3 Global biogeochemical cycles, including hydrological cycle
  - 5.4 Chemical composition of the atmosphere, atmospheric deposition, and their impact on the biosphere
- 19 5.5 Sensitivity of the elements and their adaptive capacity
  - 5.6 Modulation of sensitivity and/or adaptive capacity by non-climatic factors
    - 5.7 The most vulnerable elements from the perspective of their biospheric function: candidate key elements-2
    - 5.8 An approach to construction of TL-Climate and CL-Climate as determined by the properties of key elements-2.
  - 5.9 Conclusion

7

10

11

12 13

15

16

17 18

20

21 22

23

24 25

26

27 28 29

30 31

34

Effects of an anthropogenic increase in GHG content in the atmosphere and associated climate change on socio-economic function of the climate system

An increase in GHG content in the atmosphere may heavily affect socio-economic function of the climate system. Such effects will be considered in this section. Sensitivity and adaptive capacity of the elements of the climate system from the perspective of their socio-economic function, and their vulnerability will be the focus of this section. The most vulnerable ones from the perspective of their socio-economic function will constitute a group of "key elements-3".

40 6.1 Water resources 41 42 Climatic resources of agriculture and food production 6.2 43 44 6.3 Forest resources 45 46 6.4 Quality of the environment from the perspective of human health 47 48

| 1                    | 6.5   | 5   | Security of settlements  |  |  |
|----------------------|---|-----|--|--|--|
| 2<br>3<br>4          | 6.6   | 6   | Safety of transport communications (marine ways, roads and railways within the permafrost areas, etc.)   |  |  |
| 5<br>6<br>7          | 6.7   | 7   | Sensitivity of the elements and their adaptive capacity  |  |  |
| 7<br>8<br>9          | 6.8   | B   | Modulation of sensitivity and/or adaptive capacity by non-climatic factors   |  |  |
| 10<br>11             | 6.9   | 9   | The most vulnerable elements from the perspective of their socio-<br>economic function: candidate key elements-3   |  |  |
| 12<br>13<br>14       | <b>6.</b> 1   | 10  | An approach to construction of TL-Climate and CL-Climate as determined by the properties of key elements-3.  |  |  |
| 15<br>16<br>17       | <b>6.</b> 1   | 11  | Conclusion   |  |  |
| 18<br>19<br>20<br>21 |   | •   | ects for estimation of critical and tolerable levels of GHG content in the phere within the IPCC framework   |  |  |
| 22<br>23<br>24<br>25 | A degree to which the IPCC findings allow calculating the critical and tolerable levels of GHG content in the atmosphere is analysed in this section on the basis of existing IPCC documents. In this context, the necessity for further development of relevant fundamental studies, as well as in modelling and monitoring activities, is also discussed. |     |  |  |  |
| 26<br>27<br>28       | 7.1   | 1.  | Possible approach to calculation of TL-GHG and CL-GHG from TL-Climate and CL-Climate determined jointly by key elements 1, 2 and 3   |  |  |
| 29<br>30<br>31<br>32 | 7.1   | 1   | The degree to which materials published in existing IPCC reports allow quantifying critical and tolerable levels of GHG in the atmosphere applicable in further IPCC assessments |  |  |
| 33<br>34<br>35<br>36 | 7.2   | 2   | Information on the subject available in scientific literature of 1999-2001 and therefore not analysed in the TAR   |  |  |
| 30<br>37<br>38       | 7.3   | 3   | Critical gaps in fundamental knowledge and further research needs  |  |  |
| 39<br>40             | 7.4   | 4   | The role of models and necessities of further progress in modelling  |  |  |
| 40<br>41<br>42       | 7.5   | 5   | The role of monitoring and its further development   |  |  |
| 42<br>43<br>44       | 7.6   | 6   | Implications for the IPCC in its next assessments  |  |  |
| 44<br>45<br>46       | 7.7   | 7   | Conclusion   |  |  |
| 40<br>47<br>48       | 8 Su  | umm | ary  |  |  |

1

The purpose here is to discuss the prospects for the IPCC work on the problem in framework of priorities stated by the XVIII Session of the IPCC (Wembley, UK, 24-29 September 2001) and reflected in the IPCC Synthesis Report.

5 6

# 9 List of publications on the problem published in 1999-2001 and not analysed in the 8 TAR

9